IN THE CLAIMS:

Kindly substitute the following set of amended claims for the original set of claims.

1. (Currently amended) Method A method of packaging one or more products in suspension in a thermoformed shell tray, characterized in that it consists in comprising:

producing a stand-alone subassembly (SE) incorporating a support frame (5), accommodating a stretch film (6), said film allowing one or more products (1) to be suspended, and a lid (3) positioned over said support frame and bearing, by means of it's a lower surface, in a point-like manner on the product one or more products centered on said film, and in that

<u>positioning</u> said subassembly <u>is positioned</u> on a thermoformed tray accommodating, on its <u>one</u> upper <u>tray</u> face, a closure in the form of a <u>closure</u> film for purposes of sealing.

2. (Currently amended) <u>Method The method</u> according to Claim 1 of packaging one or more products in suspension in a tray , <u>wherein:</u>

the tray is in the form of a thermoformed shell, characterized in that it implements the following phases:

a thermoformed support frame (5) which is open at its center (5.a) is used in order to position a stretch plastic film (6), the film bearing on the an upper peripheral border (5.a) of the frame, thereby and being fastened to the latter border,

said support frame is positioned on a matrix (8) having enough depth to allow the downward deformation of the film by means of the action of an evacuating source,

evacuation is carried out dragging the film downward with deformation by stretching,

the product one or more products (1) to be packaged are positioned on the stretch film (6) and a vertical bearing and pressing effect force is exerted by a means (9) coming into contact with the product one or more products,

all or part of the evacuating operation is stopped, allowing the <u>a</u> partial rise of the stretch film while at the same time bearing and pressing on the <u>one product</u> or <u>more</u> products, allowing partial retraction of the stretch film in order to ensure said product one

or <u>more</u> products are covered by the film beyond its or their <u>a</u> widest part <u>of the one or</u> more products,

the vertical pressing force is stopped, allowing the stretch film and the product one or more products to rise and additional covering of the one or more products latter, whereby the product one or more products being are suspended,

the lid (3) is positioned on the support frame, thereby bearing on the an upper plane of the product one or more products,

the support frame with the film and the <u>product one</u> or <u>more</u> products constituting the subassembly (SE) are transferred to a tray forming a thermoformed shell of the packaging and the closure film is deposited on the upper face of the tray.

3. (Currently amended) Packaging for a product suspended on a stretch film, said film being secured to the <u>a</u> peripheral edge of the <u>a</u> shell-shaped tray of the packaging, characterized in that it comprises comprising:

at least one tray in the form of a thermoformed shell (2) having a flat and horizontal inner peripheral flange, internally allowing the positioning of a stand-alone subassembly (SE) including a profiled support frame (5) which is open in its center (5.e) on which a stretch and shrink film (6) is positioned, fastened to said support frame and allowing at least one product (1) one or more products to be suspended, said stretch and shrink film surrounding the product one or more products beyond their a widest region of said one or more products, said subassembly including a lid (3) placed on its lower face in order to accommodate a packing (3.b) capable of bearing, without damage, on the an upper part of the product one or more products (1).

4. (Currently amended) Packaging according to Claim 3, characterized in that it emprises comprising several shell-shaped trays (2-4) shaped to match said stepped bearing regions and to be positioned one in the other depending on the level of fragility of the product one or more products contained in said packaging, and in that the wherein a lower tray accommodates the subassembly (SE) for suspending the product one or more products.

- 5. (Currently amended) Packaging according to either of Claims 3 and Claim 4, eharacterized in that the wherein an upper face of the tray or trays accommodates a closure and sealing film (10-11), and in that the wherein an upper face of the lid is in a plane below the upper plane of said trays.
- 6. (Currently amended) Packaging according to any one of the preceding claims <u>3-5</u>, <u>or</u> obtained according to the method of Claims 1 <u>or and 2</u>, <u>characterized in that wherein</u> the stretch film (6) is made of polyurethane, <u>or</u> polyethylene or the like.
- 7. (Currently amended) Packaging according to any one of the preceding claims 3-5, or obtained according to the method of Claims 1 or 2, characterized in its application to packaging wherein said one or more products comprise medical prostheses.

In the Abstract:

Kindly amend the existing Abstract as follows:

ABSTRACT

METHOD OF PACKAGING VARIOUS PRODUCTS IN SUSPENSION AND THE PACKAGES OBTAINED

The A method of packaging one or more products in suspension in a thermoformed shell is noteworthy in that it consists in includes producing a stand-alone subassembly (SE) incorporating a support frame (5), accommodating a stretch film (6), said . The film allowing allows one or more products (1) to be suspended, and a lid (3) is positioned over said support frame and bearing bears, by means of its lower surface in a point-like manner on the product one or more products centered on said film, and in that said . The subassembly is positioned on a thermoformed tray accommodating, on its upper face, a closure in the form of a film for purposes of sealing. The invention aims to provide packages obtained according to the method. The applications are diverse and varied and in particular in [sic] include the packaging of medical prostheses.

Reference: FIGURE 1

REMARKS

By this Preliminary Amendment, the pending claims are being amended to delete reference numbers and otherwise better conform with U.S. practice. The Abstract is being amended similarly.

Favorable consideration of this application is respectfully requested.

Respectfully submitted,

Reg. No. 26,429

Attorney for Applicant

Dated: Aug. 1, 2003

Heslin Rothenberg Farley & Mesiti P.C. 5 Columbia Circle Albany, New York 12203

Tel: 518-452-5600 Fax: 518-452-5579

E-mail: jr@hrfmlaw.com